



619

Precision vernier height gauge No. 336

Hardened steel base, dust grooves, foot upper face surface ground, special steel measuring rule, vernier and scale satin chromed, parallax-free reading, manufacturers standard, with locking screw, dial holder 8H7, **replaceable, carbide tipped scriber**, protective cover, with fine adjustment.

Supplied: individually packed.

Item No.	Meas. range mm	Reading mm	Beam sect. □ mm	Foot-□ mm	Carb.tip.scriber, short		Carb.tip.scriber, long		Item No. Dial holder
					length	Item No.	length	Item No.	
619.301	300	0,02	25 x 6	60 x 40 x 100	65 mm	619.101	120 mm	619.105	619.110
619.302	600	0,02	30 x 12	110 x 50 x 160	75 mm	619.102	150 mm	619.106	
619.304	1000	0,02	30 x 12	110 x 50 x 160					

620

Precision height measuring and marking instrument No. 331


with adjustable scribers

accuracy in accordance with DIN 862, 1/20 mm vernier

Slider and scriber mount of one piece, square rail with precision graduation, the square scriber is precisely guided by two hardened screws.

Basic model: with straight scriber, without hard-metal equipment


Meas. range mm	Bar cross section □ mm	Foot size □ mm	Item No. Model	Spare scribers				Dial gauge holder
				straight		cranked		
				without HM	with HM	without HM	with HM	
300	14 x 14	120 x 75	620.301	620.011	620.111	620.030	620.130	620.032
500	14 x 14	120 x 75	620.302					
750	20 x 20	180 x 100	620.303					
1000	20 x 20	180 x 100	620.304					

621

Precision parallel scribing block No. 329

with prismatic base, with micrometer adjustment, prisma ground, finished base bar can be set and locked at any angle, scriber tiltable and rotatable, 45° cranked off

Marking height mm	Bar dia. mm	Foot size mm	Block size mm	Item No.	
				model	spare needle
300	8	100 x 70 x 50	4 dia. x 200	621.001	621.110
400	10	100 x 70 x 50	4 dia. x 200	621.002	621.110
500	10	100 x 70 x 50	4 dia. x 250	621.003	621.111

622

325




327

Scribing block No. 325

with round bar, scriber rotatable and tilable, scriber and scriber mount clamped simultaneously, scriber 45° cranked off

Marking height mm	Bar dia. mm	Foot dia. mm	Item No.
300	8	80	622.001
500	10	110	622.002

623

Height rule No. 327

for setting scribing blocks, with round cast-iron base and square-bar rule

Height mm	Bar cross section □ mm	Base dia. mm	Item No.
300	12 x 12	80	623.001
500	12 x 12	120	623.002

For calibration see page 23, Item No. 594